

PSITTACUS PORPHYRIO.



CHARACTER GENERICUS.

Rostrum aduncum : mandibula superiore mobili,
cera instructa.

Nares in rostri basi.

Lingua carnosa, obtusa, integra.

Pedes scansorii.

Lin. Syst. Nat.

CHARACTER SPECIFICUS.

PSITTACUS submacrourus, violaceo-cyaneus,
capite subcristato, gula albida.

Perexigua hæc Psittaci species inter elegantissimas
sui generis merito locum obtinet. Color illi est admodum
violaceus, gula pectorisque parte superiori exceptis, quæ albant, in quibusdam speciminibus subfuscō
obumbrata. Rostrum pedesque rubescunt. Capitis
plumæ fere in cristam sunt productæ, ut in Psittaco
Porphyrocephalo in Numero primo hujus operis ex-
presso. Huic aviculæ singulare quoddam est, (quod
et Lathamium in Synopsi Avium non effugit,) lingua
nempe quæ generi obtusa et brevis est, in hac specie
longa est, et fasciculo, seu penicillo fetularum albarum
terminata. Insulam Otaheitee, in Oceano Australi,
incolit hæc species.

T H E
VIOLET-BLUE PARRAKEET.



GENERIC CHARACTER.

Bill hooked. Upper mandible moveable.
Tongue broad, fleshy, and obtuse.
Legs rather short. Toes formed for climbing,
viz. two forward and two backward.

SPECIFIC CHARACTER.

VIOLET-BLUE PARRAKEET, with the tail somewhat elongated; head rather crested; throat white. Length about 5 Inches, or somewhat more.

OTAHEITAN BLUE PARRAKEET.

Lath. m. Synops. p. 59.

N. B. This bird and the *Psittacus Porphyrocephalus* figured in the First Number of *this work*, are very nearly of the same size and proportion.

This diminutive species is one of the most elegant of its tribe. Its colour is a beautiful deep violet, except on the throat and upper part of the breast, where it is white; but in some specimens slightly tinged with dusky.



dusky. The bill and legs are reddish, and the feathers on the head are elongated, so as to form a flight crest, in the same manner as in the *Psittacus Porphyrocephalus*, described in the First Number of this work.

A very curious circumstance relative to this little bird, has been observed by Mr. Latham in his Synopsis of Birds; viz. that the tongue, which in the rest of the genus is blunt and short, is in this species long, and terminated by a sort of pencil of short white bristles.

It is a native of the Island of Otaheitee in the Southern Hemisphere.